



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

DOCKET NO. HRT-0248

03C0 #3

Applicants: Sterman et a;/

Serial No.: 09/902,523

Art Unit: 3739

Filed : July 10, 2001

Examiner:

For : Devices and Methods for Intracardiac Procedures

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Box Missing Parts, Commissioner for Patents, Washington, DC 20231 on

May 1, 2002

(Date of Deposit)

Brian S. Tomko

(Name of applicant, assignee, or Registered Representative)

(Signature)

February 1, 2002

(Date of Signature)

BOX MISSING PARTS  
Commissioner for Patents  
Washington, D.C. 20231

SUBMISSION TO CORRECT APPLICATION PAPERS

Dear Sir:

☒ Please find enclosed an Associate Power of Attorney for the application of Sterman et al. entitled Devices and Methods for Intracardiac Procedures attorney Docket No.HRT-0248.

☒ In compliance with 37 CFR 1.84, new drawings are enclosed herewith in response to the Notice to File Corrected Application Papers dated March 21 2002.

☒ In compliance with 37 CFR 1.52, a replacement page 56 of the specification is enclosed herewith in response to the Notice to File Corrected Application Papers dated March 21, 2002. No new material has been added.

☒ As required, a copy of the Notice to File Missing Parts of Application is also attached.

Please charge Johnson & Johnson Deposit Account No. 10-0750/HRT-0248/BST, and the Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account No. 10-0750/HRT-0248/BST. This sheet is submitted in triplicate.

Respectfully submitted,

*BST*

Brian S. Tomko  
Reg. No. 41,349  
Attorney for Applicant(s)

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-1239

#3



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/902,523	07/10/2001	Wesley D. Sterman	HRT-248

CONFIRMATION NO. 7450

## FORMALITIES LETTER



\*OC000000007682615\*

27777

AUDLEY A. CIAMPORCERO JR.  
JOHNSON & JOHNSON  
ONE JOHNSON & JOHNSON PLAZA  
NEW BRUNSWICK, NJ 08933-7003

Date Mailed: 03/21/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - The specification cannot be scanned or properly stored. Page(s)
    - Papers must be legibly written either by a typewriter or mechanical printer in permanent ink or its equivalent in portrait orientation on flexible, strong, smooth, non-shiny, durable, and white paper. Application papers must be presented in a form having sufficient clarity and contrast between the paper and the writing thereon to permit the direct reproduction of readily legible copies in any number by use of photographic, electrostatic, photo-offset, and microfilming processes and electronic reproduction by use of digital imaging and optical character recognition. Pages 56 are not in compliance with 37 CFR 1.52(a). *The drawings filed are unacceptable because:*  
*Replacement page(s), together with a statement that the replacement page(s) contain no new matter, are required.*

*A copy of this notice **MUST** be returned with the reply.*

N/A

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY

2008-03-03 10:00:00